

Cheap Nursing CEUs

Arthritis

1. Which of the following best represents a sign/symptom of arthritis?

- A. Loss of mobility
 - B. Increased flexibility
 - C. Hypoglycemia
 - D. Hypotension
-

2. Which of the following statements is most accurate?

- A. OA is typically progressive - meaning it may become more destructive or impactful to the body over time.
 - B. OA is not progressive.
 - C. OA is not typically caused by damage or breakdown of joint cartilage between bones.
 - D. OA is caused by a diet rich in red meat.
-

3. Which of the following statements is most accurate?

- A. RA is caused by an immune response in which the body's immune system attacks its own healthy cells.
 - B. RA is typically caused by an injury.
 - C. In a joint affected by RA, the lining of the joint becomes inflamed and flexible.
 - D. The tissue damage experienced with RA is not associated with pain or deformity.
-

4. A health care professional has questions about gout. Which of the following informational points of interest should be communicated to the health care professional?

- A. Men have a higher risk for gout.
 - B. Women have a higher risk for gout.
 - C. Gout is caused by hypouricemia.
 - D. Gout is caused by hyperuricemia and high levels of potassium.
-

5. A 52-year-old male patient has questions regarding fibromyalgia. Which of the following educational points should be expressed to the patient?

- A. Fibromyalgia is associated with weight loss.
 - B. Widespread pain is a sign/symptom of fibromyalgia.
 - C. Male individuals do not typically develop fibromyalgia.
 - D. Fibromyalgia only affects individuals over the age of 65.
-

6. A 40-year-old female patient with PsA has questions regarding psoriasis. Which of the following educational points should be expressed to the patient?

- A. Psoriasis may lead to patches of thick red skin and silvery scales.
 - B. Psoriasis patches are typically only found on the elbows and face.
 - C. Psoriasis is associated with nausea, constipation, bleeding, and extreme hunger.
 - D. Psoriasis is associated with weight loss.
-

7. Which of the following best represents a non-pharmacological option that may be used to manage arthritis?

- A. Immersion therapy
 - B. Cognitive behavioral therapy
 - C. Brain stimulation therapy
 - D. Sleep therapy
-

8. Which of the following medications is indicated for the treatment of RA?

- A. Fosamax
 - B. Zoloft
 - C. Lithium
 - D. Celebrex
-

9. Which of the following best represents an adverse reaction associated with Cymbalta?

- A. Increased appetite
 - B. Decreased appetite
 - C. Extreme weight gain
 - D. Epistaxis
-

10. Which of the following best represents the recommended colchicine dose for gout flares?

- A. 0.6 at the first sign of a gout flare followed by 0.6 mg one hour later
 - B. 1.2 mg at the first sign of a gout flare followed by 0.6 mg one hour later
 - C. 1.6 mg at the first sign of a gout flare followed by 0.8 mg one hour later
 - D. 2 mg at the first sign of a gout flare followed by 1 mg one hour later
-