

Cheap Nursing CEUs

Effective Pain Management Strategies

1. Which of the following best describes nociplastic pain?

- A. Pain resulting from nerve damage observed in diabetic neuropathy.
 - B. Pain without a clear injury, inflammation, or disease source, typically involving chronic dysfunction of nociception.
 - C. Pain occurring in response to noxious physical stimuli like touching something hot.
 - D. Pain that starts suddenly with a known cause such as a surgical wound.
-

2. How does psychological counseling potentially help patients with pain management?

- A. It provides physical exercises to relieve pain in affected areas.
 - B. It helps patients process emotional responses to pain, reducing anxiety and depression linked to increased pain.
 - C. It ensures patients adhere strictly to their prescribed medication schedules.
 - D. It identifies dietary changes that could alleviate pain.
-

3. In the context of setting pain goals with patients, why is understanding a patient's personal beliefs crucial?

- A. It allows healthcare providers to predict the exact duration of pain relief necessary.
 - B. It helps in tailoring pain management strategies that align with patient expectations and cultural perceptions of pain.
 - C. It ensures that patients follow the prescribed medicinal regimen without deviation.
 - D. It assists in identifying potential allergies to pain medications.
-

4. When assessing pain, which diagnostic tool is NOT typically used to determine the type of pain a patient is experiencing?

- A. Laboratory tests to assess biochemical markers.
 - B. Imaging studies to identify structural issues.
 - C. Electrodiagnostic procedures to test nerve conductivity.
 - D. Genetic testing to reveal hereditary pain conditions.
-

5. What aspect of chronic pain distinguishes it from acute pain?

- A. Chronic pain is characterized by a short duration and quickly resolves after the cause is addressed.
- B. Chronic pain persists beyond the usual healing period and may not have an identifiable cause.

- C. Chronic pain is always caused by a noticeable injury or immediate acute condition.
 - D. Chronic pain occurs only at predictable intervals and has known triggers.
-

6. What is the importance of conducting a frequent pain assessment in managing a patient's pain?

- A. It helps establish a baseline for pain treatment.
 - B. Frequent assessments can identify any changes in pain that may need additional intervention.
 - C. Frequent assessments ensure that the patient's pain is monitored right after they report pain.
 - D. It helps in adjusting pain medication based solely on the patient's first impression of it.
-

7. When assessing pain in a nonverbal patient, which of the following signs would NOT be an indicator of pain?

- A. Agitation
 - B. Improved sleep patterns
 - C. Moaning
 - D. Refusal to eat
-

8. In the OPQRST mnemonic tool used for pain assessment, what does the 'P' represent?

- A. Pain intensity
 - B. Palliation and provocation
 - C. Past experiences
 - D. Patient's description
-

9. Which pain assessment tool is most appropriate for evaluating pain in a preterm infant?

- A. Neonatal/Infant Pain Scale (NIPS)
 - B. Neonatal Pain, Agitation, and Sedation Scale (N-PASS)
 - C. Faces, Legs, Activity, Cry, and Consolability (FLACC)
 - D. Pain Assessment in Advanced Dementia Scale (PAINAD)
-

10. When setting pain management goals with patients, what is essential to consider?

- A. The patient's self-reported pain experience and treatment expectations
 - B. The healthcare provider's previous experiences with similar cases
 - C. The potential side effects of pain medication
 - D. The patient's immediate pain relief without consideration of long-term goals
-

11. What is a key component of setting a personalized pain goal (PPG) with a patient?

- A. Focusing solely on achieving a pain level of zero.

- B. Considering what activities are important to the patient and what pain they are willing to tolerate.
 - C. Only addressing physical activity without considering medication side effects.
 - D. Setting the same pain goal for each patient regardless of individual circumstances.
-

12. How can the SMART framework contribute to effective pain management goal setting?

- A. By providing a flexible approach that can change daily.
 - B. By ensuring pain goals are vague and open to interpretation.
 - C. By creating goals that are Specific, Measurable, Action-oriented, Relevant, and Time-based.
 - D. By allowing goals to be set without a clear timeline.
-

13. Which analgesic is primarily used for postherpetic neuralgia and peripheral neuropathic pain?

- A. Aspirin
 - B. Lidocaine
 - C. Acetaminophen
 - D. Diazepam
-

14. According to the Dual-Process Model of Goal Adjustment, what might a patient experience if they cannot shift from assimilative to accommodative mode?

- A. Increased likelihood of achieving unrealistic goals.
 - B. A sense of achievement despite difficulties.
 - C. Feeling defeated or depressed.
 - D. Immediate improvement in pain levels.
-

15. When using the '90% confidence rule' in pain goal setting, what is considered?

- A. Whether the patient can consistently reach the goal without any changes.
 - B. Ensuring the patient's goals are unrealistic to increase motivation.
 - C. Determining if the patient is 90% or more sure they can achieve the goal within the set timeframe.
 - D. Focusing on achieving a pain score below 2 regardless of patient confidence.
-

16. Which of the following best describes the primary focus of the Brain Research through Advancing Innovative Neurotechnologies (BRAIN) initiative?

- A. Enhancing the discovery of new treatment modalities for chronic pain management.
 - B. Exploring the development of non-opioid pain interventions to reduce opioid use disorders.
 - C. Developing ways to reduce pain through modulating neural circuitry.
 - D. Accelerating research on pain management therapies for acute pain.
-

17. What is a potential risk of Peripheral Nerve Stimulation as a pain management technique?

- A. Excessive nerve damage leading to chronic pain.
 - B. Lead migration followed by infection.
 - C. Inadequate pain relief due to incorrect lead placement.
 - D. Stimulator device malfunction requiring surgical correction.
-

18. How does Transcutaneous Electrical Nerve Stimulation (TENS) primarily alleviate pain?

- A. By raising the pain threshold in the central nervous system.
 - B. By altering the perception of pain using low-voltage electrical currents.
 - C. By improving tissue healing with electrical stimulation.
 - D. By disrupting neural pathways through high-voltage currents.
-

19. What is the role of non-pharmacological nursing interventions in pain management?

- A. To provide intermittent relief alongside pharmacological methods.
 - B. To replace the need for any medication in managing chronic pain.
 - C. To support patients physically and emotionally through complementary techniques.
 - D. To primarily focus on correcting structural bodily dysfunctions.
-

20. Among the following, which complementary medicine technique is based on the principle of applying pressure to specific points on the feet?

- A. Chiropractic adjustments
 - B. Osteopathic Manipulation
 - C. Reflexology
 - D. Acupuncture
-

Copyright © 2025 Cheap Nursing CEUs

Visit us at <https://www.cheapnursingceus.com>